




**DURABLE**®  
**CONCRETE COATINGS**  
WHOLESALE EPOXY SUPPLIES



# COLOUR CATALOGUE

*Experience The Quality™*

Penetrating Sealers | Densifiers | Epoxy Coatings | Metallic Epoxy | Urethane Coatings | Water Based Epoxy | Polyaspartic  
Graffiti Protection | Polyurea | Specialty Coatings | Decorative Flakes | Quartz Granules | Anti-Slip Additives & Media



**Introducing Colour Flake®: Enhance Your Epoxy Flooring with Beauty, Durability, and Versatility!**

Colour Flake®, also known as chips or vinyl flakes, is meticulously crafted to elevate the aesthetic and durability of seamless epoxy resin-based flooring systems. With its integral pigmentation and diverse shapes, Colour Flake® allows for custom blends, offering limitless design possibilities.

Whether for residential or commercial spaces, this innovative solution ensures your epoxy flooring not only looks stunning but also withstands daily wear and tear.

Choose Colour Flake® today and transform your space with a product that seamlessly combines style and functionality. Discover the ultimate in epoxy flooring solutions now!



### APPLICATIONS / ENVIRONMENTS

- ✓ Auto Dealerships
- ✓ Banquet Halls
- ✓ Bars, Pubs & Taverns
- ✓ Basements
- ✓ Bathrooms
- ✓ Bowling Alleys
- ✓ Butcher Shops
- ✓ Cafeterias
- ✓ Churches
- ✓ Clean Rooms
- ✓ Commercial Kitchens
- ✓ Corridors
- ✓ Dog Kennels
- ✓ Food Processing Plants
- ✓ Garage Floors
- ✓ Gentlemen's Clubs
- ✓ Greenhouses
- ✓ Grocery Stores
- ✓ Hallways
- ✓ Hospitals
- ✓ Industrial Hallways
- ✓ Laboratories
- ✓ Laundromats
- ✓ Lunch Rooms
- ✓ Night Clubs
- ✓ Offices
- ✓ Pet Stores
- ✓ Pharmaceutical Plants
- ✓ Pool Decks
- ✓ Public Municipalities
- ✓ Restaurants
- ✓ Restrooms
- ✓ Retail Stores
- ✓ Salons
- ✓ Schools
- ✓ Showrooms
- ✓ Stadium Hallways
- ✓ Sunrooms
- ✓ Vestibules
- ✓ Veterinary Clinics
- ✓ Zoos
- ✓ And more...




### FEATURES & ADVANTAGES

- ✓ Superior colourfast / UV stability
- ✓ Low maintenance system
- ✓ Excellent chemical resistance
- ✓ Advanced colour-coating chemistry
- ✓ Optimal shape and size uniformity
- ✓ Perfect for heavy-duty environments
- ✓ Slip-resistance qualities
- ✓ Extraordinary resilience
- ✓ Customise to complement any décor
- ✓ Easy to clean and maintain








**American Granite**  
 White Base (N14)




**Armidale Granite**  
 Light Grey Base (N35)



**Australian Camel**  
 Merino Base (N56)



**Barn Owl**  
 White Base (N14)




**Bilby**  
 White Base (N14)



**Black Opal**  
 Black Base (N61)



**Black Smoke**  
 Black Base (N61)



**Bluestone**  
 White Base (N14)



**Blue Tongue**  
 White Base (N14)



**Camo White**  
 White Base (N14)



**Carbonite Grey**  
 White Base (N14)



**Crocodile**  
 Merino Base (N56)



**Daintree Forest**  
 White Base (N14)



**Davy Snow**  
 White Base (N14)



**Denim Light**  
 White Base (N14)



**Desert Stone**  
 Light Grey Base (N35)



**Didgeridoo**  
 White Base (N14)



**Dingo**  
 White Base (N14)




**Emu**  
 White Base (N14)



**Espresso**  
 White Base (N14)

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.






**Fernwood White**  
White Base (N14)



**Firefox**  
White Base (N14)




**Firetail**  
White Base (N14)



**Frilled Neck**  
White Base (N14)



**Great Outback**  
White Base (N14)



**Great White**  
White Base (N14)




**Hammerhead**  
White Base (N14)



**Ironstone**  
White Base (N14)



**Kangaroo**  
White Base (N14)




**Kookaburra**  
White Base (N14)



**Moonlight**  
White Base (N14)




**Moroccan Tan**  
White Base (N14)



**New Gaol**  
White Base (N14)




**Penguin**  
White Base (N14)



**Platypus**  
White Base (N14)



**Rainforest**  
White Base (N14)




**Salt & Pepper**  
White Base (N14)



**Sugar Glider**  
White Base (N14)



**Sunset**  
White Base (N14)



**Swordfish**  
White Base (N14)

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.







**Tangerine Crush**  
 White Base (N14)



**Thurra Dune**  
 Merino Base (N56)



**Umber**  
 White Base (N14)




**Volcano Ash**  
 White Base (N14)



**Wedgetail**  
 White Base (N14)



**White Smoke**  
 White Base (N14)



**Wild Salmon**  
 White Base (N14)



**Wombat**  
 White Base (N14)

SHADES OF  
**GREY**



**Anchor Grey**  
 White Base (N14)



**Domino Grey**  
 White Base (N14)



**Harbour Grey**  
 White Base (N14)



**Seal Grey**  
 White Base (N14)



**Shadow Grey**  
 Black Base (N61)



**Smoke Grey**  
 White Base (N14)



**Steel Grey**  
 White Base (N14)



**Sterling Grey**  
 White Base (N14)



**Thunder Grey**  
 White Base (N14)

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.



# Highlights



**Aqua Berry Punch**



**Banana Crush**



**Blueberry Smash**



**Eggplant Buzz**



**Orange Crush**



**Wild Watermelon**

## MICA FLAKE™



**Bronze**  
Mica Flake



**Gold**  
Mica Flake

Mica Flake™ elevates your environment with its exquisite natural lustre. Infuse your next flooring endeavour with an unparalleled touch of sophistication.


These Mica Flake™ Highlights are versatile, seamlessly integrating into any DCC system, from floors to walls, making a dazzling, creative finish that invites you to make your distinctive, personalised touch.

Available in opulent Gold and Bronze, our Mica Flakes are specially curated to be incorporated as a Highlights blend within DCC Colour Flake® or Durastone Flake® Systems, ensuring an extraordinary enhancement to your space. Elevate, enchant, and captivate with DCC Mica Flakes™.






**Alice**  
Small



**Angel**  
Small




**Angel**  
Large




**Belle**  
Small



**Belle**  
Large



**Candy**  
Small



**Coco**  
Large



**Destiny**  
Large



**Hope**  
Large



**Jasmine**  
Large



**Kiki**  
Small




**Lucy**  
Large



**Minnie**  
Small



**Molly**  
Large



**Snowflake**  
Large



**Zara**  
Large

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.






BE INSPIRED

# Glitter


## DIY COLOUR BLENDS

CREATE YOUR OWN UNIQUE FLOOR BY MIXING ANY OF OUR FLAKE PRODUCTS TOGETHER LIKE THESE EXAMPLES BELOW




Light Grey Base (N35)

**American Granite**  
Featuring Hope Large - 5%




White Base (N14)

**American Granite**  
Featuring Zara Large - 5%




White Base (N14)

**Billy**  
Featuring Jasmine Large - 5%




Black Base (N61)

**Black Opal**  
Featuring Zara Large - 10%




White Base (N14)

**Emu**  
Featuring Lucy Large - 5%



Light Grey Base (N35)

**Salt & Pepper**  
Featuring Molly Large - 5%



White Base (N14)

**Wedgetail**  
Featuring Coco Large - 5%



White Base (N14)

**White Smoke**  
Featuring Destiny Large - 5%



White Base (N14)

**Wild Bear**  
Featuring Snowflake Large - 5%

The samples above are not part of our standard range. Each custom colour blend is to be created by the client.

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings Pty Ltd does not hold any liability or indemnity in relation to colour variations.






BE INSPIRED  
*Highlights*

**DIY COLOUR BLENDS**


CREATE YOUR OWN UNIQUE FLOOR BY MIXING ANY OF OUR FLAKE PRODUCTS TOGETHER LIKE THESE EXAMPLES BELOW



White Base (N14)

**Barn Owl**


Featuring Orange Crush - 5%



White Base (N14)

**Wombat**


Featuring Aqua Berry Punch - 5%



White Base (N14)

**Platypus**


Featuring Blueberry Smash - 5%



White Base (N14)

**Sugar Glider**


Featuring Wild Watermelon - 10%



White Base (N14)

**White Smoke**


Featuring Banana Crush - 10%



White Base (N14)

**Carbonite Grey**

Featuring Eggplant Buzz - 10%



The samples above are not part of our standard range. Each custom colour blend is to be created by the client.

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.



DURASTONE FLAKE® is a game changer for decorative coatings industry.

DURASTONE FLAKE® has been developed to imitate the stone bench top looks, natural stone, granite or polished concrete and are specially formulated to enhance the aesthetic qualities of seamless, epoxy resin-based designer look flooring systems.

This product is integrally pigmented, brilliantly coloured, arbitrary in shape and uniquely blended.

The infinite possibilities it has to achieving optimal appearance and texture qualities, with a resinous flooring or wall coating system to match any décor.



### APPLICATIONS / ENVIRONMENTS

- ✓ Auto Dealerships
- ✓ Banquet Halls
- ✓ Bars, Pubs & Taverns
- ✓ Basements
- ✓ Bathrooms
- ✓ Bowling Alleys
- ✓ Butcher Shops
- ✓ Cafeterias
- ✓ Churches
- ✓ Clean Rooms
- ✓ Commercial Kitchens
- ✓ Corridors
- ✓ Dog Kennels
- ✓ Food Processing Plants
- ✓ Garage Floors
- ✓ Gentlemen's Clubs
- ✓ Greenhouses
- ✓ Grocery Stores
- ✓ Hallways
- ✓ Hospitals
- ✓ Industrial Hallways
- ✓ Laboratories
- ✓ Laundromats
- ✓ Lunch Rooms
- ✓ Night Clubs
- ✓ Offices
- ✓ Pet Stores
- ✓ Pharmaceutical Plants
- ✓ Pool Decks
- ✓ Public Municipalities
- ✓ Restaurants
- ✓ Restrooms
- ✓ Retail Stores
- ✓ Salons
- ✓ Schools
- ✓ Showrooms
- ✓ Stadium Hallways
- ✓ Sunrooms
- ✓ Vestibules
- ✓ Veterinary Clinics
- ✓ Zoos
- ✓ And more...



### FEATURES & ADVANTAGES


- ✓ Superior colourfast / UV stability
- ✓ Low maintenance system
- ✓ Excellent chemical resistance
- ✓ Advanced colour-coating chemistry
- ✓ Optimal shape and size uniformity
- ✓ Perfect for heavy-duty environments
- ✓ Slip-resistance qualities
- ✓ Extraordinary resilience
- ✓ Customise to complement any décor
- ✓ Easy to clean and maintain








**Coalstone 1.0**  
 Black Base (N61)




**Dolomite 1.0**  
 White Base (N14)




**Flagstone 1.0**  
 Light Grey Base (N35)



**Galaxy 1.0**  
 Dark Grey Base (N64)




**Galaxy 1.0**  
 White Base (N14)



**Granite 1.0**  
 Light Grey Base (N35)




**Howlite 1.0**  
 White Base (N14)



**Limestone 1.0**  
 Light Grey Base (N35)




**Lynx 1.0**  
 White Base (N14)



**Marlstone 1.0**  
 White Base (N14)




**Mocha 1.0**  
 Light Grey Base (N35)




**Mocha 1.0**  
 White Base (N14)



**Onyx 1.0**  
 Black Base (N61)



**Slate 1.0**  
 Dark Grey Base (N64)



**Slate 1.0**  
 White Base (N14)




**Yellowstone 1.0**  
 Merino Base (N56)




Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings Pty Ltd does not hold any liability or indemnity in relation to colour variations.





**Black Stone 2.0**  
White Base (N14)



**Blue Stone 2.0**  
White Base (N14)




**Brown Stone 2.0**  
White Base (N14)




**Earth Stone 2.0**  
White Base (N14)



**Fire Stone 2.0**  
White Base (N14)




**Gem Stone 2.0**  
White Base (N14)



**Graphite Stone 2.0**  
White Base (N14)




**Green Stone 2.0**  
White Base (N14)




**Grey Stone 2.0**  
White Base (N14)



**Khaki Stone 2.0**  
White Base (N14)



**Natural Stone 2.0**  
White Base (N14)




**Ocean Stone 2.0**  
White Base (N14)



**Quartz Stone 2.0**  
White Base (N14)



**Real Stone 2.0**  
White Base (N14)



**River Gum Stone 2.0**  
White Base (N14)



**Sand Stone 2.0**  
White Base (N14)



**Shale Stone 2.0**  
White Base (N14)



**Smokey Stone 2.0**  
Black Base (N61)

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.






BE INSPIRED

# Glitter

## DIY COLOUR BLENDS


CREATE YOUR OWN UNIQUE FLOOR BY MIXING ANY OF OUR FLAKE PRODUCTS TOGETHER LIKE THESE EXAMPLES BELOW



Black Base (N61)

### Onyx 1.0


Featuring Angel Large - 10%



Black Base (N61)

### Onyx 1.0


Featuring Minnie Small - 10%



White Base (N14)

### Slate 1.0


Featuring Minnie Small - 5%



White Base (N14)

### Black Stone 2.0

Featuring Kiki Small - 5%



White Base (N14)

### Earth Stone 2.0


Featuring Kiki Small - 5%



White Base (N14)

### Khaki Stone 2.0


Featuring Belle Small - 5%



White Base (N14)

### Ocean Stone 2.0


Featuring Alice Small - 5%



White Base (N14)

### Sand Stone 2.0


Featuring Belle Small - 5%



White Base (N14)

### Sand Stone 2.0

Featuring Candy Small - 5%



White Base (N14)

### Shale Stone 2.0

Featuring Angel Small - 5%

The samples above are not part of our standard range. Each custom colour blend is to be created by the client.

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.



Metallic Art Epoxy EP100® is a 100% solid, high gloss with glass-like finish, self-levelling, solvent-free, colour stable two pack epoxy, specifically formulated to enhance the lustre of Metallic Colour Pigments™.

DCC Metallic Colour Pigments™ are particles coated with various distinct pigments to create pearlescent and iridescent effects that mimic the natural look of stone and rock formations.

These unique pigments combined with Metallic Art Epoxy EP100® are designed to give the coating a shine that reflects light and creates an eye-catching dramatic colour. If you require UV protection, we recommend DCC Urethanes for maximum performance.



## APPLICATIONS / ENVIRONMENTS

- ✓ Airports
- ✓ Art Centres
- ✓ Auditoriums
- ✓ Auto Dealerships
- ✓ Banks
- ✓ Banquet Halls
- ✓ Bars, Pubs & Taverns
- ✓ Boutiques
- ✓ Casinos
- ✓ Churches
- ✓ Concourses
- ✓ Corridors
- ✓ Countertops
- ✓ Country Clubs
- ✓ Department Stores
- ✓ Financial Institutions
- ✓ Foyers
- ✓ Galleries
- ✓ Garage Floors
- ✓ Gentlemen's Clubs
- ✓ Hotels
- ✓ Kitchens
- ✓ Lavatories
- ✓ Lobbies
- ✓ Lounges
- ✓ Museums
- ✓ Nightclubs
- ✓ Office Buildings
- ✓ Restaurants
- ✓ Retail Stores
- ✓ Salons
- ✓ Shopping Centres
- ✓ Showrooms
- ✓ Spas
- ✓ Sunrooms
- ✓ Supermarkets
- ✓ Universities
- ✓ Vestibules
- ✓ Wineries
- ✓ And more...



## FEATURES & ADVANTAGES

- ✓ Natural stone appearance
- ✓ Completely customise
- ✓ Exclusive designer coating
- ✓ Easy field blending & installation
- ✓ Multi-dimensional colour hues
- ✓ Suitable for many environments
- ✓ Stylish, unique design
- ✓ Low maintenance system
- ✓ Economical & cost-effective
- ✓ Flooring artisan friendly
- ✓ Jointless
- ✓ Solvent free
- ✓ Easy to clean and maintain







**Alaskan Pearl**



**Amethyst**



**Antique Gold**



**Aqua Green**



**Canary Yellow**



**Copper**



**Copper Pearl**



**Deep Ruby**



**Fairy Floss**



**Fire Bird**



**Goldstone**



**Graphite Grey**



**Mahogany**



**Midnight Pearl**



**Moss Green**



**Olivine Pearl**



**Royal Blue**



**Sapphire**



**Shadow Pearl**



**Silver Pearl**



**Titanium Grey**



**Walnut**



**White Pearl**





**DURABLE**®  
**CONCRETE COATINGS**  
WHOLESALE EPOXY SUPPLIES

# AUSTRALIAN STANDARD COLOURS

CIVIL • COMMERCIAL • INDUSTRIAL • RESIDENTIAL ENVIRONMENTS

## AVAILABLE IN 206 + COLOURS

### SUITABLE PRODUCT RANGES

**EPOXY**  
**EP200**®

**POLYASPARTIC**  
**PS90**™

**URETHANE**  
**2PACK**®

**WATER BASED**  
**EPOXY WEP50 HB**®

**CONCRETE**  
**SEALER AC30**™

**POLYUREA**  
**PU100**™

**TEXTURE COAT**  
**AC90**™



1300 800 054 :: [sales@durableconcretecoatings.com.au](mailto:sales@ durableconcretecoatings.com.au) :: [www.durableconcretecoatings.com.au](http://www.durableconcretecoatings.com.au)



						
<b>White</b> N14	<b>Pastel Grey</b> N12	<b>Pearl Grey</b> N11	<b>Magnolia</b> X32	<b>Cream</b> Y34		
						
<b>Lightbox Grey</b> N33	<b>Neutral Grey</b> N23	<b>Cloud Grey</b> N22	<b>Biscuit</b> X42	<b>Parchment</b> Y43	<b>Manilla</b> Y45	<b>Pale Primrose</b> Y33
						
<b>Blue Grey</b> N53	<b>Silver Grey</b> N24	<b>Light Grey</b> N35	<b>Beige</b> X43	<b>Sandstone</b> Y53	<b>Straw</b> Y24	<b>Flummery</b> Y32
						
<b>Pipeline Grey</b> N43	<b>Koala Grey</b> N45	<b>Birch Grey</b> N25	<b>Driftwood</b> X34	<b>Oatmeal</b> Y54	<b>Sand</b> Y44	<b>Primrose</b> Y21
						
<b>Basalt</b> N54	<b>Bridge Grey</b> N44	<b>Homebush Grey</b> N15	<b>Merino</b> Y56	<b>Chamois</b> Y52	<b>Deep Stone</b> Y55	<b>Custard</b> Y22
						
<b>Pewter</b> N63	<b>Mid Grey</b> N52	<b>Mudstone</b> Y66	<b>Mushroom</b> Y65	<b>Sugar Cane</b> Y62	<b>Pale Ochre</b> X21	<b>Buttercup</b> Y23
						
<b>Dark Grey</b> N64	<b>Lead Grey</b> N55	<b>Dark Earth</b> X62	<b>Wombat</b> X61	<b>Khaki</b> Y63	<b>Coffee</b> X52	<b>Canary</b> Y11
						
<b>Black</b> N61	<b>Graphite Grey</b> N65	<b>Ironbark</b> X63	<b>Chocolate</b> X64	<b>Olive Yellow</b> Y41	<b>Brown</b> X54	<b>Mustard</b> Y42

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.



# AUSTRALIAN STANDARD COLOURS

						
<b>Warm White</b> X33	<b>Off White</b> Y35	<b>Shell Pink</b> R41	<b>Mushroom Pink</b> R34	<b>Apple Blossom</b> R32	<b>Ghost Gum</b> R33	<b>Dusty Pink</b> P31
						
<b>Deep Cream</b> Y25	<b>Raffia</b> X31	<b>Apricot</b> X23	<b>Cinnamon</b> X45	<b>Rockmelon</b> X24	<b>Salmon Pink</b> R42	<b>Burnt Pink</b> R51
						
<b>Homebush Gold</b> Y26	<b>Buff</b> X41	<b>Saffron</b> X22	<b>Possum</b> R44	<b>Mandarin</b> X14	<b>Tangerine</b> R21	<b>Deep Rose</b> R35
						
<b>Wattle</b> Y12	<b>Butterscotch</b> X11	<b>Pumpkin</b> X12	<b>Terracotta</b> R52	<b>International Orange</b> R11	<b>Red Dust</b> R43	<b>Lollipop</b> R23
						
<b>Golden Yellow</b> Y14	<b>Tan</b> X51	<b>Inca Gold</b> Y16	<b>Red Gum</b> R53	<b>Scarlet</b> R12	<b>Signal Red</b> R13	<b>Strawberry</b> R24
						
<b>Sunflower</b> Y15	<b>Golden Tan</b> X53	<b>Marigold</b> X13	<b>Red Oxide</b> R63	<b>Homebush Red</b> R22	<b>Waratah</b> R14	<b>Crimson</b> R15
						
<b>Vivid Yellow</b> Y13	<b>Nut Brown</b> X55	<b>Orange</b> X15	<b>Dark Brown</b> X65	<b>Venetian Red</b> R62	<b>Deep Indian Red</b> R64	<b>Raspberry</b> R54

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.



						
		<b>Glacier</b> G42	<b>Surf Green</b> G43	<b>Lily Green</b> Y31	<b>Lichen</b> G55	<b>Banksia</b> G53
						
<b>Green Ice</b> T35	<b>Opaline</b> G32	<b>Crystal Green</b> G47	<b>Palm Green</b> G44	<b>Chartreuse</b> G45	<b>Oyster</b> N41	<b>Green Grey</b> N32
						
<b>Storm Grey</b> N42	<b>Cootamundra</b> T45	<b>Serpentine</b> G22	<b>Lettuce</b> G33	<b>Citronella</b> G46	<b>Avocado</b> G34	<b>Mist Green</b> G54
						
<b>Blue Gum</b> T44	<b>Verdigris</b> G31	<b>Beanstalk</b> G37	<b>Apple Green</b> G26	<b>Kikuyu</b> G36	<b>Sage Green</b> G56	<b>Eucalyptus</b> G52
						
<b>Blue Jade</b> T24	<b>Spruce</b> G51	<b>Lawn Green</b> G41	<b>Shamrock</b> G23	<b>Lime Green</b> G35	<b>Ti-Tree</b> G65	<b>Rivergum</b> G62
						
<b>Turquoise</b> T15	<b>Mint Green</b> G17	<b>Homebush Green</b> G27	<b>Fern Green</b> G24	<b>Olive</b> G25	<b>Bronze Olive</b> Y51	<b>Slate</b> G64
						
<b>Diamantina</b> T12	<b>Jade</b> G21	<b>Emerald</b> G13	<b>Holly</b> G12	<b>Rainforest Green</b> G15	<b>Environment Green</b> G66	<b>Black Olive</b> Y61
						
<b>Malachite</b> T14	<b>Dark Green</b> G61	<b>Traffic Green</b> G16	<b>Zucchini</b> G16	<b>Moss Green</b> G14	<b>Deep Bronze Green</b> G63	<b>Bottle Green</b> G11

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.



# AUSTRALIAN STANDARD COLOURS

						
Sunset Pink P21	Ribbon Pink P33	Lilac P23	Powder Blue B32	Pale Blue B35	Mist Blue B33	Smoke Blue T33
						
Rose Pink R25	Jacaranda P24	Wisteria P43	Bluebell B41	Aqua B25	Sky Blue B45	Huon Green T32
						
Mulberry P42	Cyclamen P22	Ultramarine B21	Purple Blue B42	Paradise Blue B34	Light Grey Blue B44	Oriental Blue T22
						
Erica Pink P41	Purple P12	Rich Blue B11	Periwinkle B51	Tropical Blue T11	Grey Blue B43	Storm Blue B55
						
Magenta P11	Plum P52	Blueberry P14	Homebush Blue B22	Harbour Blue B24	Dark Grey Blue B53	Peacock Blue T53
						
Ruby R45	Violet P13	Royal Blue B12	Sapphire B14	Bright Blue B23	Charcoal B64	Mountain Blue T51
						
Claret R55	Maroon R65	Coral Sea B61	Navy Blue B13	Mid Blue B15	Midnight Blue B62	Teal T63

## EXPANDED COLOUR RANGE



Sulfur Yellow  
RAL 1016



Signal Green  
RAL 3062



Cobalt Blue  
115



Pantone 298C

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.





Colour Quartz<sup>®</sup> is UV stable and a notoriously hard mineral which makes it ideal for use on floors in commercial, industrial, and residential environments.

It has many great qualities such as anti-slip properties and its vibrancy makes it perfect for use as a coloured decorative component.

Colour Quartz<sup>®</sup> is the most versatile used mineral in the epoxy flooring industry that is generally combined with epoxy, polyaspartic or polyurea coatings.



### APPLICATIONS / ENVIRONMENTS


- ✓ Auto Dealerships
- ✓ Balconies
- ✓ Basements
- ✓ Butcher Shops
- ✓ Cafeterias
- ✓ Commercial Kitchens
- ✓ Dog Kennels
- ✓ Driveways
- ✓ Food Processing Plants
- ✓ Footpaths
- ✓ Industrial Hallways
- ✓ Patios
- ✓ Pet Stores
- ✓ Pool Decks
- ✓ Public Municipalities
- ✓ Restrooms
- ✓ Schools
- ✓ Stadium Hallways
- ✓ Vestibules
- ✓ Zoos
- ✓ And more...




### FEATURES & ADVANTAGES

- ✓ Superior colourfast / UV stability
- ✓ Low maintenance system
- ✓ Excellent chemical resistance
- ✓ Vibrant colours
- ✓ Optimal shape and size uniformity
- ✓ Perfect for heavy-duty environments
- ✓ Slip-resistance qualities
- ✓ Customise to complement any décor





**Aloe**  
Jade Base (G21)



**Black Orchid**  
Black Base (N61)



**Blue Hydrangea**  
Tropical Blue Base (T11)




**Bush Red**  
Red Gum Base (R53)




**Fiddle Fig**  
Spruce Base (G51)



**Fossil**  
Koala Grey Base (N45)



**Hibiscus**  
Terracotta Base (R52)



**Hummingbird**  
Periwinkle Base (B51)



**Impala Black**  
Slate Base (G64)



**Marigold**  
Sandstone Base (Y53)



**Mustard**  
Mustard Base (Y42)



**Pinecone**  
Wombat Base (X61)



**Poppy Seed**  
Black Olive Base (Y61)



**White Sage**  
Homebush Grey Base (N15)



**Blue Sapphire**  
Dark Grey Base (N64)



**Red Rock**  
Homebush Grey Base (N15)

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings Pty Ltd does not hold any liability or indemnity in relation to colour variations.



Texture Coat AC90™ is an Australian Certified Anti-Slip Coating which provides a protective, decorative finish on interior or exterior concrete, wood, aluminium, or steel surfaces.


This durable anti-slip coating is engineered for excellent adhesion, UV stable, weather & mildew resistant for domestic and light commercial areas to prevent slip accidents.

Texture Coat AC90™ unique formula provides excellent coverage over coated or new surfaces. This product is odourless and is easy to apply and maintain.



### APPLICATIONS / ENVIRONMENTS

- ✓ Balconies
- ✓ Basements
- ✓ Bin rooms
- ✓ Corridors
- ✓ Dog Kennels
- ✓ Driveways
- ✓ Footpaths
- ✓ Greenhouses
- ✓ Hallways
- ✓ Industrial Hallways
- ✓ Patios
- ✓ Pool Decks
- ✓ Public Municipalities
- ✓ Schools
- ✓ Stadium Hallways
- ✓ Vestibules
- ✓ Walkways
- ✓ And more...



### FEATURES & ADVANTAGES


- ✓ Available in 24 Colours
- ✓ Anti-Slip Certification AS4586 - 2003
- ✓ Improves safety & potential slip hazards
- ✓ Excellent adhesion/inter-coat adhesion
- ✓ Good wear resistance
- ✓ High durability
- ✓ Excellent water & partially chemical resistance
- ✓ Retards growth of mould, fungus, mildew, & bacteria
- ✓ Will fill hairline cracks in concrete
- ✓ Easy to apply



# TEXTURE COAT AC90™



Pastel Grey



White



Neutral Grey



Lightbox Grey



Light Grey



Pipeline Grey



Koala Grey



Mid Grey



Blue Grey



Lead Grey



Black



Pewter




Dark Grey




Graphite Grey




Terracotta




Driftwood



Merino



Wombat




Mushroom



Mudstone



Safety Blue



Safety Green



Safety Red



Safety Yellow

Disclaimer: This colour chart and any colour swatches are to be used as a GUIDE ONLY. The printed colours are reproduced as close as modern printing techniques allow. The finished colour may vary depending on products, surface variation, substrates, job conditions, textures and finishing practices. It is recommended to apply a sample to a small area of the substrate prior to full application to confirm the desired colour accuracy. Durable Concrete Coatings © Pty Ltd does not hold any liability or indemnity in relation to colour variations.





Premium Epoxy EP100™ is a 100% solid, self-levelling, solvent-free, two-pack epoxy, specifically formulated to enhance the lustre of the Metallic Colour Pigments™. Metallic Colour Pigments™ are particles coated with various distinct pigments to create pearlescent and iridescent effects that mimic the natural look of stone formations. The combination of these two unique pigments are designed to give the coating a high gloss shine that creates an eye-catching effect. We recommend a finish with Urethanes for maximum performance.



Epoxy EP200® is a high performance, 100% solid, solvent free, heavy duty premium two-pack epoxy resin matrix of superior formulation, containing the latest technology, which is specifically formulated and designed as a stand-alone coat and as binder for non-skid surfaces. It is high gloss, self-levelling and high chemical resistant. This product is designed for the use in a wide range of commercial environments where a lasting solution to floor maintenance problems is required. The exceptional resistance to a wide variety of chemical spillage and fumes makes this product ideal for use in high traffic and commercial environments. The product has an excellent adhesion, extreme high durability, exceptional water & chemical resistance, jointless, easy & fast to apply, and is easy to clean and maintain. If you require UV protection, we recommend DCC Urethanes for maximum performance.



Metallic Art Epoxy EP100® is a 100% solid, high gloss with glass-like finish, self-levelling, solvent-free, colour stable two pack epoxy, specifically formulated to enhance the lustre of Metallic Colour Pigments™. DCC Metallic Colour Pigments™ are particles coated with various distinct pigments to create pearlescent and iridescent effects that mimic the natural look of stone and rock formations. These unique pigments combined with Metallic Art Epoxy EP100® are designed to give the coating a shine that reflects light and creates an eye-catching dramatic colour. If you require UV protection, we recommend DCC Urethanes for maximum performance.



Epoxy EP100 BIO TS™ is a 100% epoxy resin, engineered and formulated with the latest technology in Germany. It is a high-performing, two-pack epoxy biocarbon resin and has good resistance to crystallization. The main uses of application for this product are found in trowel-down epoxy flooring, epoxy resin flooring compositions, screeds, mortars, and prime coats, but also widely used for coatings in civil as well as mechanical engineering and corrosion protection.



Water-Based Epoxy WEP50 HB® is a high-build, two-pack epoxy resin matrix specifically formulated as a stand-alone coat or base for flake floor systems. Water Based Epoxy WEP50 HB® is designed with excellent adhesion and outstanding durability. This product can be applied in residential, commercial, and industrial environments.



Water-Based Epoxy Primer WEP32™ is a modern generation, two-pack epoxy resin matrix that is designed to prime a vast range of mineral surfaces. Water-Based Epoxy Primer WEP32™ has a fast-curing time of 20 – 120 minutes, which is excellent for same-day basecoat application. When applying your base coat, this product will provide superior adhesion, and eliminate sink back and dry patches.



Epoxy Crack Repair Paste EP100™ is a 100% solid, solvent free, non-shrink, heavy duty two pack epoxy resin matrix of superior quality which is specifically formulated and intended to fill in cracks, holes, and form coving in residential, commercial, industrial environments. Available as a fast and standard cure. The exceptional resistance to a wide variety of chemical environments, where a lasting solution to floor maintenance problems is required. The product has a high corrosion resistance, excellent adhesion, extreme high durability, solvent free, jointless, easy & fast to apply, and it is easy to clean and maintain.



# KEY PRODUCTS



Urethane 2Pack® is a two-pack, high-performance, non-yellowing aliphatic polyurethane coating with UV absorbers, designed for use where outstanding resistance to weathering and excellent gloss retention is required. Urethane 2Pack® coating provides an extremely tough, hard-wearing film and is used as a varnish system or a protective glaze coat for high traffic areas. Ideal for seamless top coating on flake flooring, polished concrete (grind and seal), and epoxy coating systems, this product is perfect for use in a wide range of environments where a lasting solution to floor maintenance problems is essential. The exceptional resistance to a wide variety of chemical spillage and fumes makes this product ideal for use in high traffic commercial environments. The product's unique features and benefits include water and chemical resistance, excellent adhesion, high corrosion resistance, high durability, jointless application, and easy and fast application, cleaning, and maintenance. Available in Gloss and Satin.



Durathane SP40® is an aliphatic, non-yellowing, single moisture cure polyurethane, which has UV absorbers and scavengers incorporated to protect substrates from the effects of sunlight. Durathane SP40® coating provides an extremely tough but flexible, hard-wearing film, and is used as a durable protective coating system for high-traffic areas with a gloss or satin finish. Ideal for seamless top coating flake flooring, polished concrete (grind and seal), and epoxy coating systems. Designed for use in a wide range of environments where a lasting solution to floor maintenance problems is required. The exceptional resistance to a wide variety of chemical spillage and fumes this product is ideal for use in commercial environments. The product's unique features and benefits are water & chemical resistant, excellent adhesion, high corrosion resistance, high durability, jointless, easy, and fast to apply, and easy to clean and maintain. Available in Gloss and Satin.



Durathane SP100® is the latest generation of ultra-high solids, non-flammable, aliphatic and moisture cured single component polyurethanes. We have designed it to be non-yellowing and UV stable, and incorporated UV absorbers to protect substrates from the effects of sunlight. Durathane SP100® coating provides an extremely tough but flexible, hard wearing film and is used as a durable protective coating system for high traffic areas, with a gloss finish. This product is ideal for seamless top coating on interior and exterior surfaces, epoxy flake flooring, polished concrete (grind and seal), and epoxy coating systems. Durathane SP100® is easy to clean and maintain and designed for use in a wide range of environments where a lasting solution to floor maintenance problems is required. The exceptional resistance to a wide variety of chemical spillage makes this product ideal for use in residential, commercial and industrial environments. Available in Gloss only.



Aqua Urethane 2Pack® is a water-based, non-yellowing, odourless, aliphatic, two-pack polyurethane sealer for concrete, flake floors, epoxy coatings, metallic epoxy, polished concrete (grind and seal), and exposed aggregate. Also suitable for walls. This high-performance polyurethane coating has excellent clarity and UV absorbers and scavengers. It provides an extremely tough and hard-wearing film and is used as a durable protective coating for high-traffic areas and commercial environments. Available in Gloss and Matt.



Polyaspartic PS90® is a 90% solid, aliphatic, non-yellowing, heavy-duty, two-pack polyaspartic coating system. Polyaspartic PS90® can be used as a top coat, stand-alone coat, or as binder for non-skid surfaces in residential, commercial and industrial environments. It is designed to cure fast to achieve a fast return to service where down time is critical factor. Polyaspartic PS90® is also used as one-day system for driveways, protective floor coating, and decorative finishes like flake floor systems as base coat and top coat. The products unique features and benefits are exceptional UV resistance and high gloss finish, brilliant water & chemical resistance, excellent high durability, excellent abrasion and impact resistance, jointless, easy and fast to apply, and easy to clean and maintain.



Polyaspartic PS60® is a 62% solid, aliphatic, non-yellowing, heavy-duty, two-pack polyaspartic coating system. Polyaspartic PS60® can be used as a topcoat, stand-alone coat, or as binder for non-skid surfaces in residential, commercial, and industrial environments. It is designed to cure fast to achieve a fast return to service where down time is a critical factor. Polyaspartic PS60® is also used as a one-day system for driveways, protective floor coating, and decorative finishes like flake floor systems as a topcoat. The products unique features and benefits are exceptional UV resistance and high gloss finish, brilliant water & chemical resistance, excellent high durability, excellent abrasion, and impact resistance, jointless, easy and fast to apply, and easy to clean and maintain.



Polyurea PU100™ is a 98% solid, aliphatic, non-yellowing, high performance, heavy-duty and flexible two-pack polyurea coating system. Polyurea PU100™ can be used as a base coat only, or as binder for non-skid surfaces in residential, commercial and industrial environments. It is designed to be flexible and cure fast to achieve a fast return to service where down time is critical factor. Polyurea PU100™ is used as one-day system for driveways, protective floor coating, and decorative finishes like flake floor systems as base coat. This system requires a top coat such as Urethane 2Pack®, Durathane SP40®, Polyaspartic PS60® or Polyaspartic PS90® for maximum performance. The product offers exceptional UV resistance, aliphatic non-yellowing properties, high flexibility, crack-bridging ability, excellent water and chemical resistance, outstanding durability, strong abrasion and impact resistance, seamless application, and is easy to apply, clean, and maintain.





Texture Coat AC90™ is an Australian Certified Anti-Slip Coating which provides a protective, decorative finish on interior or exterior concrete, wood, aluminium, or steel surfaces. This durable anti-slip coating is engineered for excellent adhesion, UV stable, weather & mildew resistant for domestic and light commercial areas to minimise slip accidents. Texture Coat AC90™ unique formula provides excellent coverage over coated or new surfaces. This product is odorless and easy to apply and maintain.



Concrete Sealer AC30™ is a high grade, tough, durable clear solvent based acrylic concrete sealer for protection against weather, traffic, oil and dirt. Concrete Sealer AC30™ is recommended as the finishing coat to seal all new concrete surfaces including stencil, exposed aggregate, stamped or coloured concrete. This general purpose sealer has been designed to provide a durable, non-yellowing, protective coat with excellence resistance to most contaminants, preventing staining and dirt impregnation. This unique product is UV stable and available in clear or coloured.



Grout Polymer GP700™ is a concentrated, high-performance, one-part, non-yellowing, water-based grout polymer. This superior polymer is designed as a bonding agent to fill pin holes and cracks, when mixing with concrete, during the concrete polishing process. Grout Polymer GP700™ ensures high strength with outstanding bonding abilities and long-term durability.



Aqua Dura-Seal 4500™ is a new generation, single component, water-based, high strength penetrating sealer specifically formulated to intensely improve the water and stain resistance of all concrete and natural stone surfaces for many years with an invisible natural look and breathable barrier. Aqua Dura-Seal 4500™ provides maximum protection for the surface from water and oil borne contaminants, and is also an ideal barrier around saltwater pools or marinas. This product is used on natural stone including concrete surfaces, exposed aggregate, masonry, slate, sandstone, pavers, bricks, grout, granite, limestone, travertine and terracotta. Aqua Dura-Seal 4500™ has no unpleasant odour or flammability problems and is therefore excellent to use for public areas. It also reduces growth of mould, fungus, mildew and bacteria. Can be used interior and exterior.



DensiS Dense-Hard 1500™ Sodium Silicate Densifier is a water based, penetrating sodium densifier which has been specifically formulated to strengthen and harden the concrete. It provides a surface that will be more resistant to wear, chemicals and dusting. Due to the products unique feature, it has excellent penetration, good dry and through cure. DensiS Dense-Hard 1500™ Sodium Silicate Densifier is suitable for use on concrete surfaces and exposed aggregates, and also an excellent choice for polishing concrete.



DensiP Ultra-Hard 1500™ Potassium Densifier is a water based, penetrating potassium densifier which has been specifically formulated to strengthen and harden the concrete. It provides a surface that will be more resistant to wear, chemicals and dusting. Due to the products unique feature, it has excellent penetration, good dry and through cure. DensiP Ultra-Hard 1500™ is suitable for use on concrete surfaces and exposed aggregates, and also an excellent choice for polishing concrete.



DensiL Maxi-Hard 1500™ Lithium Densifier is a premium water based, high strength penetrating lithium densifier which has been specifically formulated to strengthen and harden the concrete. It provides a surface that will be more resistant to wear, chemicals and dusting. Due to the products unique features, it has excellent penetration, good dry and thorough cure. DensiL Maxi-Hard 1500™ Lithium Densifier is suitable for use on concrete surfaces and exposed aggregates, and also an excellent choice for polishing concrete. This high-performance product will increase the life of concrete and provide maximum protection.





**Brisbane Headquarters**

(07) 3808 2769

10 Lapis Street, Underwood QLD 4119  
sales@ durableconcretecoatings.com.au

**Melbourne Branch**

(03) 9052 4878

60 Spalding Avenue, Sunshine North VIC 3020  
sales.melb@ durableconcretecoatings.com.au

**Australia Wide**

1300 800 054

[www.durableconcretecoatings.com.au](http://www.durableconcretecoatings.com.au)



**DURABLE<sup>®</sup>**  
**CONCRETE COATINGS**  
WHOLESALE EPOXY SUPPLIES

