



## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product Identifier

**Product Name** WATER BASED EPOXY PRIMER WEP 32™ PART B HARDENER  
**Synonyms** EPOXY PRIMER WEP32 PART B • EPOXY WEP32 PRIMER PART B • WATER BASED EPOXY PRIMER BASE PART B • WATER BASED EPOXY PRIMER PART B

#### 1.2 Uses and uses advised against

**Uses** COATING • EPOXY RESIN SYSTEM  
 Used in conjunction with Water Based Epoxy Primer WEP 32 Part A

#### 1.3 Details of the Supplier of the Product

**Supplier Name** DURABLE CONCRETE COATINGS PTY LTD  
**ABN** 48 602 499 052  
**Address** 10 Lapis Street, Underwood, QLD, 4119, Australia  
**Telephone** 1300 800 054  
**Email** [sales@ durableconcretecoatings.com.au](mailto:sales@ durableconcretecoatings.com.au)  
**Website** <http://www.durableconcretecoatings.com.au>

#### 1.4 Emergency Telephone Numbers

**Poison Information Centre** 13 11 26

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**GHS Classifications** Skin Corrosion/Irritation: Category 2  
 Skin Sensitation: Category 1  
 Serious Eye Damage / Eye Irritation: Category 2A  
 Aquatic Toxicity (Chronic): Category 2

#### 2.2 Label Elements

**Signal Word**  
**Pictograms**

**WARNING**



#### Hazard Statements

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation  
 H411 Toxic to aquatic life with long lasting effects.

#### General Statements

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read carefully and follow all instructions.

#### Prevention Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264 + P265 Wash hands thoroughly after handling. Do not touch eyes.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response Statements

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

PRODUCT NAME WATER BASED EPOXY PRIMER WEP 32™ PART B HARDENER

P321 Specific treatment is advised - see first aid instructions.  
P333 + 317 If skin irritation or rash occurs: Get medical help.  
P337 + P317 If eye irritation persists: Get medical help.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage Statements**

None allocated.

**Disposal Statements**

P501 Dispose of contents/container in accordance with relevant regulations.

**2.3 Other Hazards**

No information provided.

**3. COMPOSITION/INFORMATION OF INGREDIENTS**

**3.1 Substances / Mixtures**

Ingredient	CAS Number	EC Number	Content
BISPHENOL-A-(EPICHLORHYDRIN), REACTION PRODUCT	25068-38-6	500-033-5	<20%
1-METHOXY-2-PROPANOL	107-98-2	203-539-1	<11%
BENZYL ALCOHOL	100-51-6	202-859-9	<11%
BISPHENOL F DIGLYCIDYL ETHER	55492-52-9	611-275-7	<5%
PROPRIETARY NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

**Ingredient Notes**

Ingredients (not listed above) are considered trade secret and determined not to be hazardous, below cut off limits, or do not affect classifications.

**4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

**Eye** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. To protect resuer, use a Type A (Organic vapour) respirator or an Air-line respirator (in poorly ventilated areas). Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

**Ingestion** For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.

**First aid facilities** None allocated.

**4.2 Most important symptoms and effects, both acute and delayed**

Irritating to the eyes and skin. May cause sensitisation by skin contact.

**4.3 Immediate medical attention and special treatment needed**

Treat symptomatically.

**5. FIRE FIGHTING MEASURES**

**5.1 Extinguishing media**

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

**5.2 Special hazards arising from the substance or mixture**

Combustible. May evolve toxic gases (carbon/nitrogen oxides, amines, ammonia, hydrocarbons) when heated to decomposition.

**5.3 Advice for firefighters**

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

#### 5.4 Hazchem code

Not applicable (not classified as a Dangerous Good). Recommended response: Use alcohol-resistant foam if available.  
Wear full protective gear and breathing apparatus. Prevent run-off from entering drains and waterways. Contain spill run off.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then cover/absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Eliminate all sources of ignition.

#### 6.4 Reference to other sections

See sections 8 and 13 for exposure controls and disposal.

### 7. HANDLING AND STORAGE

#### 7.1 Precaution for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store tightly sealed in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should be bunded and have appropriate fire protection and ventilation systems. Store as a Class C1 Combustible Liquid (AS1940).

#### 7.3 Specific end uses

No information provided.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

##### Exposure Standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
1-METHOXY-2-PROPANOL	SWA (AUS)	100	369	150	553

#### Biological Limits

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

##### Engineering controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.

##### PPE

##### Eye/Face

Wear splash-proof goggles.

##### Hands

Wear viton (R) or nitrile gloves.

##### Body

Wear coveralls. If spraying, with prolonged use, or if in confined areas, wear impervious coveralls.

##### Respiratory

Where an inhalation risk exists, wear a Type A (Organic vapours) respirator. If sanding dry product, wear a Class P1 (Particulate) respirator.



**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Appearance	MILKY WHITE LIQUID
Odour	SLIGHT ODOUR
Flammability	CLASS C1 COMBUSTIBLE
Flash Point	> 93°C
Boiling Point	NOT AVAILABLE
Melting Point	NOT AVAILABLE
Evaporation Rate	NOT AVAILABLE
pH	NOT AVAILABLE
Vapour Density	NOT AVAILABLE
Specific Gravity	1.07
Solubility (water)	SOLUBLE
Vapour Pressure	NOT AVAILABLE
Upper Explosion Limit	NOT AVAILABLE
Lower Explosion Limit	NOT AVAILABLE
Partition Coefficient	NOT AVAILABLE
Autoignition Temperature	NOT AVAILABLE
Decomposition Temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive Properties	NOT AVAILABLE
Oxidising Properties	NOT AVAILABLE
Odour Threshold	NOT AVAILABLE
VOC	< 2% g/L

**10. STABILITY AND REACTIVITY****10.1 Reactivity**

Carefully review all information provided in sections 10.2 to 10.6.

**10.2 Chemical stability**

Stable under recommended conditions of storage.

**10.3 Possibility of hazardous reactions**

Hazardous polymerization is not expected to occur.

**10.4 Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

**10.5 Incompatible materials**

Incompatible with oxidising agents (eg hypochlorites), acids (eg nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

**10.6 Hazardous decomposition products**

May evolve toxic gases (carbon/nitrogen oxides, hydrocarbons) when heated to decomposition.

**11. TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**Information available for the ingredients:**

Ingredient	Oral Toxicity (LD50)	Dermal Toxicity (LD50)	Inhalation Toxicity (LD 50)
BISPHENOL-A-(EPICHLORHYDRIN), REACTION PRODUCT	2 - 19 g/kg (rat)	> 20 mL/kg (rabbit)	--
1-METHOXY-2-PROPANOL	5000 mg/kg (dog)	13000 mg/kg (rabbit)	10000 ppm/5 hours (rat)
BENZYL ALCOHOL	1230 mg/kg (rat)	2000 mg/kg (rabbit)	--

**Skin**

Contact may result in irritation, redness, pain, rash and dermatitis.

**Eye**

Contact may result in irritation, lacrimation, pain and redness.

**Sensitisation**

Epoxy resins may cause allergic skin reactions. Insufficient data for classification as a respiratory sensitiser.

**Mutagenicity**

Not classified as a mutagen.

**Carcinogenicity**

Not classified as a carcinogen.

**Reproductive**

Not classified as a reproductive toxin.

<b>STOT - single exposure</b>	Over exposure may result in irritation of the nose and throat, with coughing. High level exposure may result in dizziness, drowsiness and breathing difficulties.
<b>STOT - repeated exposure</b>	Not classified as causing organ damage from repeated exposure. Adverse effects are generally associated with single exposure.
<b>Aspiration</b>	Not classified as causing aspiration.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

This product is not readily biodegradable.

### 12.3 Bioaccumulative potential

Bioconcentration potential is moderate.

### 12.4 Mobility in soil

Potential for mobility in soil is low.

### 12.5 Other adverse effects

No information provided.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

<b>Waste disposal</b>	Mix components together (small amounts), absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Ensure protective equipment is worn when mixing. Do not seal containers/tins until reaction is complete. Contact the manufacturer/supplier for additional information (if required). Prevent contamination of drains and waterways as environmental damage may result.
-----------------------	---

<b>Legislation</b>	Dispose of in accordance with relevant local legislation.
--------------------	---

## 14. TRANSPORT INFORMATION

### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	<b>LAND TRANSPORT (ADG)</b>	<b>SEA TRANSPORT (IMDG/IMO)</b>	<b>AIR TRANSPORT (IATA/ICAO)</b>
<b>14.1 UN Number</b>	None allocated.	None allocated.	None allocated.
<b>14.2 Proper Shipping Name</b>	None allocated.	None allocated.	None allocated.
<b>14.3 Transport Hazard Class</b>	None allocated.	None allocated.	None allocated.
<b>14.4 Packing Group</b>	None allocated.	None allocated.	None allocated.

### 14.5 Environmental hazards

Not classified as environmentally hazardous for transport, as the concentration of environmentally hazardous substances (Aquatic Chronic Category 1 and 2) is below the threshold.

### 14.6 Special precautions for user

<b>Hazchem code</b>	None allocated.
---------------------	-----------------

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>Poison schedule</b>	Classified as a Schedule 5 (S5) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
------------------------	---

<b>Classifications</b>	Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.
------------------------	--

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].

<b>Hazard Codes</b>	N	Dangerous for the environment
	Xi	Irritant

<b>Risk Phrases</b>	R36/38	Irritating to eyes and skin.
	R43	May cause sensitisation by skin contact.
	R51/53	Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
<b>Safety phrases</b>	S23	Do not breathe gas/fumes/vapour/spray (where applicable).
	S24/25	Avoid contact with skin and eyes.
	S37/39	Wear suitable gloves and eye/face protection.
	S45	In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)
<b>Inventory Listings</b>	<b>AUSTRALIA: AICS (Australian Inventory of Chemical Substances)</b> All components are listed on AICS, or are exempt.	

## 16. OTHER INFORMATION

### Additional information

**WELDING - SANDING - CUTTING DRIED OR CURED PRODCUT:** If sanding, cutting or welding dried or cured product, adverse health effects may be avoided by the use of appropriate engineering controls and/or personal protective equipment. If welding, wear a Class P2 (Metal fume) respirator and depending on the nature of the surface being welded, additional protection (e.g. for organic vapours/acid gas) may also be required. A Class P1 (Particulate) respirator is recommended if dust is generated.

**EPOXY - PHENOXY RESINS AND POLYURETHANES:** Where spray painting with two or more component epoxy resins or polyurethane aints is undertaken, an employee shall wear a air-line respirator, full length chemically resistant coveralls and gloves. Further, if an individual is to enter an enclosed booth where a vapour or gas curing process is occurring, an air-line respirator is required. Once cured, theses resins are considered non toxic.

**RESPIRATORS:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**HEALTH EFFECTS FROM EXPOSURE:** It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

### Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	European Community Number
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
GHS	Globally Harmonized System
GTEPG	Group Text Emergency Procedure Guide
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m <sup>3</sup>	Milligrams per Cubic Metre

OEL	Occupational Exposure Limit
pH	Relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average

#### Report status

This Safety Data Sheet has been prepared in accordance with Safe Work Australia's model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals and aligns with the Globally Harmonised System of Classification and Labelling of Chemicals (GHS 7).

No additional national or regional regulatory restrictions are known to apply.

This document has been compiled by DCC in good faith from the best information available at the time of issue. It is based on the present level of research and on behalf of the manufacturer, importer or supplier of the raw materials, or products and serves as their Safety Data Sheet (SDS).

It is based on information concerning the product which has been provided to DCC by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While DCC has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness, since conditions of use are beyond our control. As far as lawfully possible, DCC accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

**(END OF SDS)**